

## MODEL

Jazzy Elite HD-2HD-SS <sup>1</sup>	Group 2: Heavy Duty (K0824)
Jazzy Elite HD-2HD-C <sup>1</sup>	Group 2: Heavy Duty (K0825)

Weight Capacity	450 lbs.
Turning Radius	24"
Overall Width <sup>3</sup>	24.25"
Overall Length <sup>3</sup>	35.5"
Maximum Speed <sup>2</sup>	4 mph
Ground Clearance <sup>3</sup>	3"
Front Wheels	3" solid anti-tips
Drive Wheels	14" foam filled
Rear Wheels	6" solid casters
Drivetrain	Two motor, front-wheel drive
Braking System	Regenerative and electro-mechanical
Suspension Type	Limited
High-back Seat Sizes	18" x 18-20", 20" x 18-20", 22" x 20-22"
Seat-to-Floor Range	20"- 22"
Per Charge Range <sup>3,5</sup>	Up to 14.4 miles
Standard Electronics	50A, Dynamic LiNX
Component Weights	Base 99 lbs. (base @ Elite HD) Seat 18" wide - 51.8 lbs. 20" wide - 54 lbs. 22" wide - 57.6 lbs. Batteries 37 lbs. each
Battery Requirements <sup>4,6</sup>	(2) 12 volt, NF-22 batteries
Battery Charger	5 amp, off-board
Warranty	Frame: Lifetime limited Drivetrain: 13-month Electronics: 13-month Battery: 13-month

- 1 Jazzy® Power Chairs are FDA Class II Medical Devices designed to aid individuals with mobility impairments.
- 2 Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. These specifications can be subject to a variance of (+/- 10%).
- 3 Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of (+ or - 3%).
- 4 AGM or gel cell type required.
- 5 Tested in accordance with ANSI/RESNA, WC Vol2, section 4 & ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Test conducted at maximum weight capacity.
- 6 Battery weight may vary based on manufacturer.



(US) 800-800-8586 • (Canada) 888-570-1113

FOLLOW US        
 pridemobility.com

NOTE: All specifications subject to change without notice. The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%. Special order seats or non-standard dimensions will not be fold-flat and depth-adjustable.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement.

The information contained herein is correct at time of publication; we reserve the right to alter specifications without prior notice.

110824

# Jazzy®<sup>1</sup>

ELITE HD

## HEAVY DUTY FRONT-WHEEL DRIVE



FDA Class II  
Medical Device<sup>1</sup>

AMERICA'S FAVORITE POWER CHAIR

FOLLOW US        
 pridemobility.com

# ENHANCED OUTDOOR PERFORMANCE



The **Jazzy® Elite HD<sup>1</sup>** features two-motor, front-wheel drive technology and heavy-duty construction. The Jazzy Elite HD features 14" drive wheels for enhanced outdoor performance combined with a front-wheel drive design to provide tight turns for optimal indoor maneuverability in small spaces. Large front wheels add extra absorption for superb climbing capabilities and combine with front anti-tip wheels for handling various terrains with ease.

- Universal, fixed, in-line joystick mount
- Black, flat-free, non-marking tires
- Lap belt

## Colors



Jazzy Red

## Optional Seating

Black vinyl, high-back seat, available sizes:

- Up to 24"W x 24"D

## Options

- Bell shaped foot platform
- Elevating leg rests
- Heel loops
- Height adjustable foot platform bracket
- Residual limb support
- Swing-away legrests
- Swing-away joystick

## Accessories

- Cane/crutch holder
- Cell phone holder
- Cup holder
- Flag holder
- Lap belt (50", 70", 80", 90")
- Military patches
- Oxygen tank holder
- Rear basket
- Saddle bag
- Walker holder
- Weather cover
- XLR USB charger



Front-wheel drive design



Easy-access free wheel levers



50A, Dynamic LiNX controller